INDEX TO VOLUME XXXV

Adjaero, Isabelle and Spiegel, Eugene On the uniqueness of the coefficient ring in a group ring, 654-673

Ahern, Patrick The Poisson integral of a singular measure, 735-749

Babiker, A. G. A. G. and Graf, S. Homomorphism-compact spaces, 558-576

Barnes, E. S. and Sloane, N. J. A. New lattice packings of spheres, 117-130

Baxter, J. R. and Olsen, J. H. Weighted and subsequential erodic theorems, 145-166

Beesack, Paul R. On inequalities complementary to Jensen's, 324-338

Bell, Murray Two Boolean algebras with extreme cellular and compactness properties, 824-838 Bergen, Jeffrey, Herstein, I.N. and Lanski, Charles Derivations with invertible values,

300-310

Bisztriczky, Tibor C-nodal surfaces of order three, 68-100

Borwein, Peter B. Uniform approximation by polynomials with variable exponents, 547-557

Bray, Una and Whaples, George Polynomials with coefficients from a division ring, 509-515

Brown, T. C. and Buhler, J. P. Behrand's theorem for dense subsets of finite vector spaces, 724-734

Browne, Patrick J. and Nillsen, R. V. On difference operators and their factorization, 873-897 Buhler, J. P. and Brown, T. C. Behrend's theorem for dense subsets of finite vector spaces, 724-734

Cenzer, Douglas and Mauldin, R. Daniel Representations of well-founded preference orders, 496-508

Chattopadhyay, K. C., Njastad, Olav and Thron, W. J. Merotopic spaces and extensions of closure spaces, 613-629

Chaudhry, Muhammad Aslam and Pandey, J. N. The Hilbert transform of generalized functions and applications, 478-495

Dangello, F. and Lindahl, R. Semidirect product compactifications, 1-32

Daniels, Peg Normal, locally compact, boundedly metacompact spaces are paracompact: An application of Pixley-Roy spaces, 807-823

de Pagter, Ben and Huijsmans, Charles B. Maximal d-ideals in a Riesz space, 1010-1029

Edelson, Allan L. and Perri, Emilia Asymptotic behaviour of nonoscillatory equations, 436-453 Edwards, Robert and Gillman, David Any spine of the cube is 2-collapsible, 43-48 Enns, T. C. The radii of polyhedrons, 33-42

Fantham, P. H. H. and Moore, E. J. Groupoid enriched categories and homotopy theory, 385-416

Fong, C.-K. and Holbrook, J. A. R. Unitarily invariant operator norms, 274-299
Fresnel, Jean and Matignon, Michel Produit tensoriel topologique de corps values, 218-273
Friedman, Nathaniel A. Mixing on sequences, 339-352

Gessel, Ira M. Some congruences for generalized Euler numbers, 687-709

Gillman, David and Edwards, Robert Any spine of the cube is 2-collapsible, 43-48 Gluck, David Trivial set-stabilizers in finite permutation groups, 59-67 Graf, S. and Babiker, A. G. A. G. Homomorphism-compact spaces, 558-576

Hanche-Olsen, Harald On the structure of tensor products of JC-algebras, 1059-1074

Herstein, I. N., Bergen, Jeffrey and Lanski, Charles Derivations with invertible values, 300-310

Herz, Carl Alternating 3-forms and exceptional simple Lie groups of type G₂, 776-806 Hoffman, P. Hopf algebras from branching rules, 177-192

Holbrook, J. A. R. and Fong, C.-K. Unitarily invariant operator norms, 274-299

Huijsmans, Charles B. and de Pagter, Ben Maximal d-ideals in a Riesz space, 1010-1029

Hurvitz, Sara P-isolated maps and localizations, 193-217

Jhastad, Olav, Chattopadhyay, K. C. and Thron, W. J. Merotopic spaces and extensions of closure spaces, 613-629

Kan, Charn-Huen Ergodic properties of Lamperti operators, 11, 577-588

Kandil, A. A large inductive dimension of proximity spaces, 961-973

Kannappan, P. L. and Ng, C. T. On a generalized fundamental equation of information, 862-872

Kirschenbaum, Marc and Lu, Yung-Chen Sufficiency of Weierstrass jets, 167-176 Koblitz, Neal p-adic eigen-functions for Kubert distributions, 674-686

Lanski, Charles, Bergen, Jeffrey and Herstein. I. N. Derivations with invertible values, 300-310

Lebow, A. and Schreiber, M. Scalar actions, 750-768

Leeming, D. J. and MacLeod, R. A. Generalized Euler number sequences: Asymptotic estimates and congruences, 526-546

Lindahl, R. and Dangello, F. Semidirect product compactifications, 1-32

Liskovets, V. A. and Walsh, T. R. S. The enumeration of non-isomorphic 2-connected planar maps, 417-435

Lu, Yung-Chen and Kirschenbaum, Marc Sufficiency of Weierstrass jets, 167-176

McNulty, George F., Nordahl, T. and Scheiblich. H. E. Injectives and projectives in term finite varieties of algebras, 769-775

MacLeod, R. A. and Leeming, D. J. Generalized Euler number sequences: Asymptotic estimates and congruences, 526-546

Matignon, Michel and Fresnel, Jean Produit tensoriel topologique de corps values, 218-273

Matsumoto, Yokio and Yamada, Akio On the resolution diagrams of the Brieskorn singularities (2, q, r) of type 11, 1049-1058

Mauldin, R. Daniel and Cenzer, Douglas Representations of well-founded preference orders, 496-508

Miers, C. Robert and Phillips, John Algebraic inner derivations on operator algebras, 710-723 Monson, Barry Simplicial quadratic forms, 101-116

Moody, R. V. and Pianzola, A. λ-mappings between representation rings of Lie algebras, 898-960

Moore, E. J. and Fantham, P. H. H. Groupoid enriched categories and homotopy theory, 385-416 Moore, R. L. and Weiss, G. The metric Fuglede property and normality, 516-525 Morris, Lawrence Some remarks on Eisenstein series for metaplectic coverings, 974-985

Ng, C. T. and Kannappan, P. L. On a generalized fundamental equation of information, 862-872

Nillsen, R. V. and Browne. Patrick J. On difference operators and their factorization, 873-897Nordahl, T., McNulty, George F. and Scheiblich, H. E. Injectives and projectives in term finite varieties of algebras, 769-775

Noussair, Ezzat S. and Swanson, Charles A. Global positive solutions of semilinear elliptic equations, 839-861

O'Brien, G. L. Obtaining prescribed rates of convergence for the ergodic theorem, 1129-1146 Olsen, J. H. and Baxter, J. R. Weighted and subsequential erodic theorems, 145-166

Pandey, J. N. and Chaudhry, Muhammad Aslam The Hilbert transform of generalized functions and applications, 478-495

Paterson, Alan L. T. Amenability and translation experiments, 49-58

Pavlakos, Panaiotis K. On integration in partially ordered groups, 353-372

Perri, Emilia and Edelson, Allan L. Asymptotic behaviour of nonoscillatory equations, 436-453
Phillips, John and Miers, C. Robert Algebraic inner derivations on operator algebras, 710-723

Pianzola, A. and Moody, R. V. λ-mappings between representation rings of Lie algebras, 898-960

Scheiblich, H. E., Nordahl, T. and McNulty, George F. Injectives and projectives in term finite varieties of algebras, 769-775

Schreiber, M. and Lebow, A. Scalar actions, 750-768

Schwartz, Niels Local stability and saturation in spaces of orderings, 454-477

Shahidi, Freydoon Some results on L-indistinguishability for SL(r), 1075-1109

Sherling, Dorothy D. Concerning the cone-hyperspace property, 1030-1048

Sloane, N. J. A. and Barnes, E. S. New lattice packings of spheres, 117-130

Smith, P. F. Rings with enough invertible ideals, 131-144

Spiegel, Eugene and Adjaero. Isabelle On the uniqueness of the coefficient ring in a group ring, 654-673

Strelitz, Sh. Three theorems on the growth of entire transcendental solutions of algebraic differential equations, 1110-1128

Swanson, Charles A. and Noussair, Ezzat S. Global positive solutions of semilinear elliptic equations, 839-861

Takahasi, Sin-ei Central double centralizers on quasi-central Banach algebras with bounded approximate identity, 373-384

Terada, Toshiji Dense subspaces of product spaces, 986-1000

Thron, W. J., Njastad, Olav and Chattopadhyay, K. C. Merotopic spaces and extensions of closure spaces, 613-629

Ucci, Jack On BP<1>*(K(Z, 3), Z/p), 630-653

Van, Quach Thi Cam On a realization of prime tangles and knots, 311-323 Von Zur Gathen, Joachim Secant spaces to curves, 589-612

Walsh, T. R. S. and Liskovets, V. A. The enumeration of non-isomorphic 2-connected planar maps, 417-435 Warren, Richard H. Spaces with a unique uniformity, 1001-1009
Weiss, G. and Moore, R. L. The metric Fuglede property and normality, 516-525
Whaples, George and Bray, Una Polynomials with coefficients from a division ring, 509-515

Yamada, Akio and Matsumoto, Yokio On the resolution diagrams of the Brieskorn singularities (2, q, r) of type II, 1049-1058

